
## PROJECT TITLE Container Canopy Container Canopy 10m x 12m x 3.5m | 33' x 40' x 12' Width x Depth x Height NOTES **WORKING DRAWING DRAWING BY:** Dawid Chomicz CHECKED BY: Cameron Newbold PROJECT: CC-PVC-RST-10636-GREY 27.08.2025 SCALE N.T.S Width: 10m | 33' Depth: 12m | 40' Eave Height: 2.9m | 9'5" Overall Height: 3.5m | 12' Arch Distance: 2m | 6'6" Opening Clearance: 4.5m | 14'8" **REVISIONS DESCRIPTION** DATE 2900 27.08.2025 4000 10000 **CLIENT** Container Canopy Standard Model Opening/Shutter Size WxH: Purling Tube Thickness: Eave Height: Steel Frame: Covering: Arch Tube Thickness: CHS 610g/m² | 60mm x 1.5mm | 4m x 4.5m | 76mm x 2mm | KIT BUILDING 2.9m | 9'5" 2.99" x x 0.08" 2.36" x x 0.06" 13'1" x 14'8" 22oz/sq yd Single Truss Pedestrian door WxH Quantity: N/A -SYSTEMS-Shutter Type: WWW.KITBUILDINGS.COM PAGE 1 OF 3 Size: N/A Winch operated shutter FRONT ELEVATIONS

Material: N/A

## PROJECT TITLE Container Canopy Container Canopy 10m x 12m x 3.5m | 33' x 40' x 12' Width x Depth x Height NOTES **WORKING DRAWING DRAWING BY:** Dawid Chomicz CHECKED BY: Cameron Newbold **PROJECT:** CC-PVC-RST-10636-GREY 27.08.2025 SCALE N.T.S Width: 10m | 33' Depth: 12m | 40' Eave Height: 2.9m | 9'5" Overall Height: 3.5m | 12' Arch Distance: 2m | 6'6" Opening Clearance: 4.5m | 14'8" **REVISIONS DESCRIPTION** DATE 900 27.08.2025 10000 **CLIENT** Container Canopy Standard Model Opening/Shutter Size WxH: Purling Tube Thickness: Eave Height: Steel Frame: Covering: Arch Tube Thickness: CHS 610g/m² | 60mm x 1.5mm | 4m x 4.5m | 76mm x 2mm | KIT BUILDING 2.9m | 9'5" 2.99" x x 0.08" 2.36" x x 0.06" 13'1" x 14'8" 22oz/sq yd Single Truss Pedestrian door WxH Quantity: N/A -SYSTEMS-Shutter Type: WWW.KITBUILDINGS.COM PAGE 2 OF 3 Size: N/A Winch operated shutter BACK ELEVATIONS Material: N/A

# Container Canopy



# PROJECT TITLE

Container Canopy 10m x 12m x 3.5m | 33' x 40' x 12' Width x Depth x Height

NOTES

### **WORKING DRAWING**

**DRAWING BY:** Dawid Chomicz

CHECKED BY: Cameron Newbold

PROJECT: CC-PVC-RST-10636-GREY

SCALE N.T.S

27.08.2025

Width: 10m | 33' Depth: 12m | 40'

Eave Height: 2.9m | 9'5" Overall Height: 3.5m | 12' Arch Distance: 2m | 6'6"

Opening Clearance: 4.5m | 14'8"

#### **REVISIONS**

Sr.	DESCRIPTION	DATE
		27.08.2025

**CLIENT** 

Container Canopy Standard Model

Purling Tube Thickness: Opening/Shutter Size WxH: Eave Height: Steel Frame: Covering: Arch Tube Thickness: CHS 610g/m² | 76mm x 2mm | 60mm x 1.5mm | 4m x 4.5m | 2.9m | 9'5" 2.99" x x 0.08" 2.36" x x 0.06" 13'1" x 14'8" 22oz/sq yd Single Truss

Shutter Type:

Pedestrian door WxH Quantity: N/A Size: N/A

Material: N/A

PAGE 3 OF 3

KIT BUILDING -SYSTEMS-WWW.KITBUILDINGS.COM

SIDE ELEVATIONS

Winch operated shutter